

RSHO Gold 10g Applicator

Sample ID: 1910CSALA9377.1407

Strain: RSHO Gold 10g Applicator

Matrix: Concentrates & Extracts

Type: Other

Sample Size: 1 units

Batch Size:

Produced: N/A

Collected: 10/24/2019

Received: 10/24/2019

Completed: 10/29/2019

Batch#: 25619

Client

MM Inc.

Lic. #

632 North 2000 West

Lindon, Utah 84042



ND

Total THC

244.54 mg/g

Total CBD

246.27 mg/g

Total Cannabinoids

Cannabinoids

Pass

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Mass	Mass
	mg/g	mg/g	mg/g	%
CBD	0.00037	0.001	244.54	24.45
CBC	0.00014	0.001	1.73	0.17
CBDa	0.0002	0.001	ND	ND
CBDV	0.0001	0.001	ND	ND
CBG	0.00037	0.001	ND	ND
CBGa	0.0002	0.001	ND	ND
CBN	0.00016	0.001	ND	ND
THCa	0.00022	0.001	ND	ND
THCV	0.00039	0.001	ND	ND
Δ8-THC	0.00042	0.001	ND	ND
Δ9-THC	0.00042	0.001	ND	ND
Total			246.27	24.63

Date Tested: 10/24/2019

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallery Speakman
 Laboratory Director - LA
 10/29/2019

 Anya Engen
 Quality Review
 10/29/2019

 Musa Aman
 COA Review
 10/29/2019

RSHO Gold 10g Applicator

Sample ID: 1911CSALA9724.2599

 Strain: RSHO Gold
 Matrix: Concentrates & Extracts
 Type: Other
 Sample Size: 1 units
 Batch Size:

 Produced: N/A
 Collected: 11/01/2019
 Received: 11/01/2019
 Completed: 11/04/2019
 Batch#: 25619

 Client
MM Inc.
 Lic. #
 632 North 2000 West
 Lindon, Utah 84042

Microbials

Pass

Testing method: PCR-SOP 400

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 11/04/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Pass

Testing method: ICPMS-SOP 502

Analyte	LOD	LOQ	Limit	Mass	Status
Arsenic	µg/g	µg/g	µg/g	µg/g	
	0.02	0.06	0.2	0.187	Pass
Cadmium	0.03	0.1	0.2	ND	Pass
Lead	0.002	0.005	0.5	0.091	Pass
Mercury	0.02	0.06	0.1	ND	Pass

Date Tested: 11/03/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 11/04/2019

 Anya Engen
 Quality Review
 11/04/2019

 Amanda Bravo
 COA Review
 11/04/2019