

Certificate of Analysis

Sample Information

CTLA ID: 11860
 Date Received: 10/18/2019
 Sample Name: RSHO Blue Applicator 10 g 1700 mg
 Lot Number: 04231
 Customer: MM Inc.

Analysis	Method	MDL Specification	Result	Units
Rapid Complete Micro				
Total Plate Count	USP <2021>	100 Report	<100	cfu/g
Total Coliforms	BAM CH.4	10 Report	<10	cfu/g
<i>Escherichia coli</i>	USP <2022>	Report	Negative	
<i>Salmonella</i>	USP <2022>	Report	Negative	
<i>Staphylococcus aureus</i>	USP <2022>	Report	Negative	
Rapid Yeast and Mold	AOAC 997.02	10 Report	<10	cfu/g
Heavy Metals				
Arsenic	USP <2232>	0.052 Report	0.406	ppm
Cadmium	USP <2232>	0.052 Report	<0.052	ppm
Lead	USP <2232>	0.052 Report	0.071	ppm
Mercury	USP <2232>	0.052 Report	<0.052	ppm
Cannabinoid Concentration				
Total Cannabidiol (CBD)	HPLC	2.588 Report	1,936.481	mg/10 g
Total Tetrahydrocannabinol (THC)	HPLC	0.026 Report	0.074	%
CBD	HPLC	2.588 Report	1,936.481	mg/10 g
CBDA	HPLC	2.588 Report	ND	mg/10 g
Δ9-THC	HPLC	2.588 Report	7.354	mg/10 g
THCA	HPLC	2.588 Report	ND	mg/10 g
Δ8-THC	HPLC	2.588 Report	ND	mg/10 g
THCV	HPLC	2.588 Report	ND	mg/10 g
CBDV	HPLC	2.588 Report	ND	mg/10 g
CBDVA	HPLC	2.588 Report	ND	mg/10 g
CBGA	HPLC	2.588 Report	ND	mg/10 g


 Quality Manager

Specifications provided by the Customer. Results with an asterisk (*) denote Specifications should be reviewed by the Customer. This Certificate of Analysis represents data for the sample submitted and does not constitute a guarantee of quality for the entire product from which it was taken. These results are provided for the benefit of the Customer. MDL = Method Detection Limit.

CTLA ID: 11860
 Date Received: 10/18/2019
 Sample Name: RSHO Blue Applicator 10 g 1700 mg
 Lot Number: 04231
 Customer: MM Inc.

Analysis	Method	MDL Specification	Result	Units
CBG	HPLC	2.588 Report	3.809	mg/10 g
CBN	HPLC	2.588 Report	ND	mg/10 g
CBC	HPLC	2.588 Report	20.178	mg/10 g
CBL	HPLC	2.588 Report	ND	mg/10 g

ND = None Detected

Total CBD = CBD + (CBDA*0.877)

Total THC = Δ9-THC + Δ8-THC

Total Cannabinoids = 1,967.822 mg/10 g


 Quality Manager

Specifications provided by the Customer. Results with an asterisk (*) denote Specifications should be reviewed by the Customer. This Certificate of Analysis represents data for the sample submitted and does not constitute a guarantee of quality for the entire product from which it was taken. These results are provided for the benefit of the Customer. MDL = Method Detection Limit.